SPECIAL CABLES For Medical Technology

THE RIGHT SOLUTION FOR EACH AREA



Samour

www.sab-cable com

TRADITIONAL FAMILY BUSINESS SINCE **1947**

Peter Anotheles

Pase Broderes and



R Ö C KSKSS XS

Sabine Brockskee. Wetten

SPECIAL CABLES FOR MEDICAL TECHNOLOGY

CONTENT

W	Who we are		
	Cables for medical technology		
	Cable design and production		
		-	
>	Your specialist for cables and wires as well as harnessing for medical technology	5	
	Production possibilities		
>	Flexible cables and wires "Made in Germany"		
>	Cable harnessing directly from the manufacturer SAB	6	
	Selection table	7	
	Product overview		
>	Electrotherapy	8-9	
>	Surgery	10-11	
>	Imaging	12-13	
>	Aesthetics	14-15	
>	Dental technology	16	
audited / tested / approved			
1	Sales and service worldwide	18-19	

The examples listed below show only a selection of our possibilities. For other solutions our experts are always at your disposal. Please do not hesitate to contact our specialists who will advise you individually for your special application.





CON MEDICE

FAMILY BUSINESS IN THE THIRD GENERATION

75 years of experience in cable and wire manufacturing as well as in temperature measurement technology turned a oneman business into a company with more than 550 employees. We prove our strength every year with more than 1500 special products according to customers' requirements. Each product is a new challenge for our creative technical team. We at SAB see ourselves as a manufacturer and a service provider – in the sense of true partnership and the greatest possible customer orientation.

Today, the quality of our products is known and appreciated in more than 100 countries around the world. In all product ranges, we are certified according to DIN EN ISO 9001. Furthermore, we have implemented an environmental management system for our company according to DIN EN ISO 14001, an occupational health and safety management system according to NLF/ILO-OSH and DIN ISO 45001, and an energy management system according to DIN EN ISO 50001.

And also for the future, our slogan is: "WE GO FORWARD!"

FOUNDED:	1947 by Peter Bröckskes sen. an independent, medium-sized company.
CEO:	Peter Bröckskes and Sabine Bröckskes-Wetten
PLANT/LOCATION:	In Viersen (Lower Rhine) 110.000 m ² company site.
	Own manufacturing from copper conductor to outer sheath.
	VDE approved burnchamber and laboratory within the company.
EMPLOYEES/WORKERS:	approx. 430 at the plant in Viersen, 550 worldwide
YEARLY SALES:	over 134 Mio. € worldwide
PRODUCTS:	Special Cables
	Measurement Technology
	Cable Harnessing
CERTIFICATES AND APPROVALS: DNV ABS bsi. DNV EIII CE VDED CHARD EN IEC ISO	Ouality management system acc. to DIN EN ISO 9001 for every manufacturing field Environmental management system acc. to DIN EN ISO 14001 Occupational health and safety management acc. to NLF/ILO-OSH and DIN ISO 45001 Energy management system acc. to DIN EN ISO 50001



CABLE DESIGN AND PRODUCTION

SAB BRÖCKSKES – Your specialist in connection technology for electromedicine

In order to identify customer-specific requirements and to enable safe applications, the cable specialist from Viersen with its own development department relies on close customer contact. As the compliet production is carried out exclusively on series production equipment, each prototype is also a series product suitable for presentation to the notified body. Measurements can be carried out under real conditions on both the metre goods - already possible from 100m upwards - and the cable assemblies. The subsequent exchange of knowledge and - if required - the subsequent practical implementation in design features are elementarily important for a continuously successful application.



SAB (%

6589 Milline

PRODUCTION POSSIBILITIES

Flexible cables and wires "Made in Germany"

As a leading manufacturer we develop and produce cables for industrial purposes. Our wide range of materials offers a lot of possibilities for your individual product requirement. The following survey shows an extract of our production possibilities:

Conductor Materials:

- bare copper tinned copper
- silver-plated copper
- nickel-plated copper

Insulation and Jacketing Materials:

- SABmed S
- SABmed T
- 🖌 FEP, PFA
- Polyethylene
- TPE Polyurethane

Conductors:

 cross sections 0,022 - 300 mm²
 unshielded and shielded over 100 conductors

Temperature Ranges:

5500 March Colice

SABmed S ✓ -40°C up to +180°C SABmed T ✓ -40°C up to +100°C Polyurethane ✓ -40°C up to +90°C FEP, ETFE, PFA ✓ -90°C up to +260°C

Cable harnessing directly from the manufacturer SAB:

As a full service partner we are able to offer besides cable design and production the manufacturing of cable harnessing products according to customer's request. Please trust on our experience for decades in the treatment of cables and connectors.

cable harness

- according to customer's demands
- complete cable harness
- UL certified assemblies
- / helix cables
- USB as well as CAT cables



SELECTION TABLE



Our SABmed T-range is characterized by a reduced shore-hardness making the cable smoother and more flexible than PVC. Furthermore, this material is free of halogen and very good for sterilization (gas and radiation) as well as for a helix cable!

	Item group: 3900 Sheath material: SABmed S	ltem group: 3901 Sheath material: SABmed T	ltem group: 3902 Sheath material: variable	Item group: 3903 Sheath material: variable
Biocompatibility (ISO 10993-5)	×	×	×	
Whipe disinfection*	×	×	×	×
Autoclavability (up to ±134°C)	×			
High flexibility	×	×	×	×
Spiralisation**		×	×	×
Overmoulding	×	×	×	×
Low adhesion	×	×	×	×
Temperature range +90°C	×	×	×	×
Temperature range +180°C	×			
UL/CSA	×		×	×
RoHS	×	×	×	×

*against commercially available whipe disinfections according to instructions for use **depending on the material combination



ELECTROTHERAPY

Connection cables in the field of electrotherapy application with electric stimulation can be customer-specific designed and manufactured by SAB Bröckskes. Depending on the application and the customer's demands, we would be glad to consider the request for an especially flexible and motionfriendly performance, a resistance against wipe-disinfection or a space-saving hybrid cable. We are waiting for your challenge. Also cable harnessing is possible.



SABmed S CONNECTING CABLE

CABLE CONSTRUCTION			
Conductor:	finely-stranded, silver-plated copper		
Insulation:	FEP		
Screen:	highly-efficient tinned copper braid		
Sheath material:	biocompatible SABmed S		

CABLE CHARACTERISTICS

Voltage:	up to 50 V
Temperature range:	-40°C/+180°C
Testing voltage:	selection test acc. to 2 MOP
Cleaning:	autoclavable, standard whipe disinfection
Surface:	"non-sticky"



Shock wave 🗸

589 MEDice

Ultrasound 🗸


Stimulation current





CABLES AND CORDSETS

FOR MEDICAL APPLICATION



SPECIAL CABLES FOR MEDICAL TECHNOLOGY

SURGERY

Whether for monopolar, bipolar application technology or electrical devices for other specialised surgical procedures manufacturing at SAB Bröckskes is always carried out to the highest quality standards, taking into account biocompatible materials. Versions with increased shielding to prevent interference with imaging systems can also be manufactured. The requirements for protective measures for electrical safety, such as MOOP and MOPP, are also included and tested.



Stime Street

TECHNICAL DATA

HF SABmed S POWER SUPPLY CABLE

TYPICAL CABLE CONSTRUCTION		
Conductor: finely-stranded, silver-plated copper		
Insulation:	FEP	
Screen:	highly-efficient tinned copper braid	
Sheath material:	biocompatible SABmed S	

TYPICAL CABLE CHARACTERISTICS

Voltage:	up to 900 V
Temperature range:	-40°C/+180°C
Testing voltage:	selection test acc. to 2 MOP
Cleaning:	autoclavable, standard whipe disinfection
Surface:	"non-sticky"
Application:	permanent bending and torsion
Application:	permanent bending and torsion



Coagulation Orthopaedics

Ophthalmology

Surgery robots 🗸

Operating tables 🗸






IMAGING TECHNIQUES



Imaging systems are an integral part of medical diagnostics and surgical treatments. A brilliant image display is crucial for targeted and successful therapy. This means that the demand for ever faster transmission systems and interference-minimised display devices also poses great challenges for the designers of imaging procedures when it comes to cable selection. Our strength in customised solutions is particularly evident in the innovative implementation of your application. Whether hybrid cables with KOAX elements or specially electrically shielded products with permanently flexible properties - we can produce from as little as 100 m.





SABmed T USB 3.0 Gen 1 DATA CABLE


CABLE CONSTRUCTION			
Conductor:	finely-stranded, silver-plated copper		
Insulation:	FEP		
Stranding:	highest precise, homogenized stranding		
Screen:	highly-efficient tinned copper braid		
Sheath material:	biocompatible SABmed T		
CABLE CHARACTERISTICS			
Voltage:	up tp 90 V		
Temperature range:	-40°C/+100°C		
Testing voltage:	selection test acc. to 2 MOP		
Cleaning:	standard whipe disinfection, ETO		
Surface:	"non-sticky"		

upgraded for individual connectors









AESTHETICS

Imaging systems for medical diagnostic require a reliable connection of transmission. SAB Bröckskes offers a variety of possibilities to fulfil your demands. Our strength of the custome-made solution becomes particularly clear in the innovative realization of your application. Whether hybrid cables with COAX-elements or special electrical screened products with high flexible performance - often we are already able to produce for a quantity of 100 m.



55 Milling



BIOCOMPATIBLE HYBRID CABLE

Conductor:	finely-stranded conductor
Insulation:	SABIX®
Stranding:	hybrid combination with different tubes
Screen:	highly-efficient tinned or silver copper braid
Sheath material:	PU

CABLE CHARACTERISTICS

Testing voltage: selection test acc. to 2 MOP Cleaning: standard whipe disinfection	Voltage: Temperature range:	up to 375 V -40°C/+80°C
	Testing voltage:	selection test acc. to 2 MOP
	Cleaning:	standard whipe disinfection
Surface: "non-sticky"	Surface:	"non-sticky"
Application: mechanical sophisticated, cross-pressure stable	Application:	mechanical sophisticated, cross-pressure stable



Liposuction 🗸

Skin-abrasion


Laser technology





CABLES AND CORDSETS

FOR MEDICAL APPLICATION





DENTAL TECHNOLOGY

The performance demands of dental technology ranges from flexible and smooth silicone cables in handheld applications and torsional stress at swivel arms to miniaturised connection cables. Due to the wide range of material combinations we fulfil your demands at the highest level.



650 MeDire



BIOCOMPATIBLE DRIVE CABLE

CABLE CONSTRUCTION			
Conductor: finely-stranded, silver-plated copper			
Insulation:	FEP or PFA		
Screen:	highly-efficient tinned or silver copper braid		
Sheath material:	biocompatible SABmed S		

CABLE CHARACTERISTICS

Voltage:	up to 900 V
Temperature range:	-40°C/+180°C
Testing voltage:	selection test acc. to 2 MOP
Cleaning:	autoclavable, standard whipe disinfection
Surface:	"non-sticky"
Application:	permanent bending and torsion



Drive cable 🗸

Treatment unit 🗸

Intraoral camera



AUDITED / TESTED / APPROVED

Our modern testing machines make it possible to reproduce almost all customer-specific requirements. In this way, we ensure that all products are fully developed when they come onto the market. For us, new products are the result of close communication between customer, sales, development department, laboratory and raw material supplier. In addition, SAB has all the test procedures required by the VDE as well as numerous international certifications.





Test laboratory 🗸

ERTIFICATE OF COMPLIANCE

EA15270-20150-54/3220

Biocompatibility acc. to EN ISO 10993-1

Cable Harnessing **UL** certified



HYGCEN

Certificate

SALES AND SERVICE

From our central stock in Viersen-Süchteln or our external stocks, we supply standard lengths as well as special dimensions, often within 24 hours. It is our strength to be at different places at the same time. This shows also our wide product range. Being always ready to deliver our products of constant quality is our strength at SAB Bröckskes. Challenge, obligation - but also guarantee at the same time. This is your advantage we are present whenever you need our assistance.



HEAD OFFICE Germany

SAB Bröckskes GmbH & Co. KG Grefrather Str. 204-212 b 41749 Viersen Germany Phone +49 (0) 2162 898-0 info@sab-cable.com www.sab-kabel.de

SUBSIDIARY Netherlands SAB Bröckskes Benelux Bokkerijder 34 5571 MX Bergeijk

Netherlands Phone +31 (0) 497 575 201 info@brockskes.nl www.nl.sab-kabel.com

SUBSIDIARY

France (east) Câblerie SAB S.A. 28, rue des Caillottes Z.I. La Plaine des Isles 89000 Auxerre France Phone +33 3 869 466 94 info@cablerie-sab.fr www.sab-cable.eu

SUBSIDIARY

France (west)

Auxicom 3 rue de la Lagune Parc d'Activités de Viais 44860 Pont Saint Martin France Phone +33 2 518 976 76 info@auxicom.fr www.auxicom.fr

SUBSIDIARY USA

SAB North America 344 Kaplan Drive Fairfield, NJ 07004 USA Phone +1 973 276 0500 info@sabcable.com www.sabcable.com

SUBSIDIARY China

SAB Special Cable (Shanghai) Co. Ltd. Room 706, Tower C. Bo Hui Plaza Nr. 768 South Zhongshan 1st Road, Huangpu District, Shanghai, China Phone + 86 21 583 508 43 sales@sab-broeckskes.net www.sab-cable.cn

REPRESENTATION Korea

TCC Thomas Cable Co. Ltd. 206 Yeocheon 3-gil, Ochang-eup Cheongwon-gu, Cheongju-si Chungcheongbuk-do 28127, South Korea Phone + 82 43 211 9900 thomascable@thomaskorea.com www.thomas.co.kr

REPRESENTATION India

Alltronix No. C-340, 6th Cross, 1st Stage, Peenya Industrial Estate, Bengaluru - 560 058, Karnataka India Phone +91 80 40838383 mail@alltronix.com www.alltronix.com



WORLDWIDE

Here you will find the right contact worldwide for your service request.



REPRESENTATION Singapore

Precision Technologies Pte Ltd 211 Henderson Road #13 - 02 Henderson Industrial Park Singapore 159552 Phone +65 6273 4573 precision@pretech.com.sg www.pretech.com.sg

REPRESENTATION Poland

Kabel-Projekt Podkomorzego 3/15 83-000 Pruszcz Gdański Poland Phone + 48 602 211 405 krzysztof.pilip@kabel-projekt.com www.kabel-projekt.pl

REPRESENTATION Temperature measurement Belgium

Ets. Fabritius SPRL Av. van Volxem 180 1190 Brussels Belgium Phone +32 2 34 33 932 info@fabritius.be www.fabritius.be

REPRESENTATION Israel

TransElectric 27 Shaked Street, Hevel Modiin Industrial Park 7319900 Shoham Israel Phone +972 73 2336600 info-tig@ti-group.co.il ti-group.co.il

REPRESENTATION Japan

JEPICO Corporation Shinjuku Front Tower 21-1,Kita-Shinjuku 2-Chome Shinjuku-Ku, Tokyo 169-0074 Japan Phone +81 3 6362 9612 m_suzuki@jepico.co.jp www.jepico.co.jp/english

REPRESENTATION Finland

OEM Finland Oy Cable Department Fiskarsinkatu 3 20750 Turku, Finland Phone +358 207 499 499 info@oem.fi www.oem.fi

REPRESENTATION Sweden

OEM Automatic AB Dalagatan 4 573 42 Tranas Sweden Phone +46 75 242 41 00 info@oem.se www.oem.se/en







SAB Bröckskes GmbH & Co. KG Grefrather Str. 204 - 212 b 41749 Viersen · GERMANY Tel.: +49/2162/898-0 Fax: +49/2162/898-101 www.sab-cable.com info@sab-cable.com